


Crop Protection Solutions For Potato Growers



	Planting	Germination	Emergence	Rosette	Vegetative growth	Flowering	Tuber Bulking	Maturation	Rate / Ha	Rate/16L knapsack
All already germinated grass and broadleaf weeds	Tornado 540 Glyphosate acid, 540 g/l (potassium salt)								1.4L to 2.8L	112 ml to 224 ml
Grass and some broadleaf weeds	Simba S-Metalochlor, 960g/l								1.3L to 1.5L	104 ml to 120 ml
Grass weeds (eg. couch grass/ tsangadzi/shanje)				Quickstep Clethodim, 130 g/l + Haloxyfop-R-methyl, 80 g/l					400 ml to 800 ml	32 ml to 64 ml
Aphids			Tanrek 500 (Soil Drench) Imidacloprid, 500 g/l						3,2 g/100 m row length. Spray in the planting furrow before planting or after planting but before emergence, over the row. Apply in 3L to 4L water/100 m furrow length. Irrigate immediately afterwards with ±15 mm water.	
			Tanrek 500 Imidacloprid, 500 g/l						100 ml to 200 ml	8 ml to 16 ml
Tuber moths, aphids			Borey Imidacloprid, 150g/l + Lambda-cyhalothrin, 50g/l						200 ml to 500 ml	16 ml to 40 ml
Late Blight (<i>Phytophthora</i>) and Early Blight (<i>Alternaria</i>)				Metaxyl Mancozeb, 640 g/kg + Metalaxyl, 80 g/kg					2 kg to 2.5 kg	80 g to 100 g
				Ordan Copper oxychloride, 689 g/kg + Cymoxanil, 42 g/kg					2 kg to 2.5 kg	80 g to 100 g
				Kumir Tribasic copper sulfate, 345 g/l					3L to 5L	120 ml to 200ml
Early Blight (<i>Alternaria</i>)				Rayok Difenoconazole, 250 g/l					300 ml to 400 ml	12 ml to 16 ml

APPLICATION VOLUME: Herbicides 200 l/ha, Insecticides 200 l/ha, Fungicides 400 l/ha



Tiger Agrochem (Pvt) Ltd.

2 Sandringham Drive, Alexandra Park, Harare, Zimbabwe.
 Tel.: 002634250731-2; Cell: 0773 998 545 / 0774 833 091
 Website: www.tigeragrochem.co.zw; E-mail: sales@tigeragrochem.co.zw

For more information contact:

Tinashe: 0773 416 214 / Carol : 0774 833 091 / Wonderful: 0773 998 545